



## Audit initial

Rapport de:

# FAIVELEYTECH SAINT CLAUDE

<b>Référence LRQA:</b>	FQA00002531 / 5367996
<b>Date(s) d'audit:</b>	10-Novembre-2022
<b>Date de rapport:</b>	11-Novembre-2022
<b>Adresse client:</b>	28 route de Lyon, SAINT-CLAUDE 39200, FR
<b>Standard(s) d'audit:</b>	Decret Plastique
<b>Equipe d'audit:</b>	<b>[REDACTED]</b>
<b>Bureau LRQA:</b>	FQA France OU

LRQA Group Limited, its affiliates and subsidiaries and their respective officers, employees or agents are, individually and collectively, referred to in this clause as 'LRQA'. LRQA assumes no responsibility and shall not be liable to any person for any loss, damage or expense caused by reliance on the information or advice in this document or howsoever provided, unless that person has signed a contract with the relevant LRQA entity for the provision of this information or advice and in that case any responsibility or liability is exclusively on the terms and conditions set out in that contract.

## 01. Synthèse pour la Direction

### **Conclusion:**

Sur la base des résultats de l'audit, l'équipe d'évaluation recommande l'organisme dénommé FAIVELEYTECH SAINT CLAUDE à la certification Decret Plastique pour le champ d'application défini.

Le responsable d'audit confirme que les dispositions contractuelles relatives aux référentiels Decret Plastique sont correctes. Cela inclut tout changement requis suite à la visite (y compris les changements de champ d'application et de durée des visites suivantes).

### **Amélioration continue:**

Non applicable



### **Domaines requérant l'attention de la Direction:**

Non applicable